Monteringsanvisning
Assembly Instructions - Montierungsanweisung
Instructions pour le montage

VIKING




A
B
C
D
E
E
F
F
G
H
I

2


U
T
S
P
Q
N
O
R
L
M
J
K

3

4


1
1a
2
3
4
5
11
6
7
8
9
10
12
13
14
15
16
17

5



6



7



8

9



10



11

12

extra long #10



#9 in from side
+ inf from bottom

13

14

15

16

17

18



19



20



21

22



23

24



25



26

27



28

29



30



31



32



33

34

Threading back to front
my notes:

*

as usual but on flat surface so sheds level. tie tight knots. Threads around warp & weave marks is

35

*

as usual

36

*

use 10/10 cm



37

*



38

39

40

set items in #38 on top of shafts, as previously



41 ~~Proceed to #42~~ do not attempt to have a cross at warp rod. Can use a cord later if it becomes necessary @ end of warp. proceed to #42



42



43



44



45



46



47

ALT.

48



49



50

51

52



53



54



55

56

57

58



59



60



61

62

63



64



65

66



67



68



69



70



71

72

73



74



75

76



77



78

79

80



81



82



83



84

85

86

87

Vävstolsfabriken Glimåkra

Box 125, S-280 64 Glimåkra, Sweden.
Tel. 044-430 00.

VÄVSTOLSFABRIKEN
GLIMAKRA

Affärstryckeriet — Broby 1983